



- Seamless stainless steel chamber
- Any Aquabath can become a boiling bath by using the Plexiglas gable cover—included standard
- UL approved and CE certified
- Exclusive lifetime warranty

- Specially designed heaters on underside of working chamber for maximum heat transfer to bath
- Available in 18 models—2< to 44< bath capacity—with analog or digital temperature set and display

See page 170 for Thermal Rocker and pages

Aquabaths™

Lab-Line's 18000 series of Aquabaths are designed for use in clinical research labs, pharmaceutical labs, and a multitude of chemical, biological, research, and industrial laboratory applications.

- ◆ Temperature control $\pm 0.5^{\circ}\text{C}$; uniformity up to $\pm 0.2^{\circ}\text{C}$
- ◆ Temperature range from slightly above ambient to 65°C , 100°C with gable cover (included as standard equipment)

- ◆ Independent high-limit thermostat for protection in the event of main thermostat failure
- ◆ Adjustable hydraulic thermostat for temperature control
- ◆ Stainless steel diffuser plate provides level surface for glassware—removal of diffuser plate increases

ACCESSORY GABLE COVERS					
Model	Material of Construction	For Use with Model Number(s)	Model	Material of Construction	For Use with Model Number(s)
18000-4	Stainless Steel	18000, 18800, 18002, 18802, 18020, 18022	19000-2	Clear Lexan®	18000, 18800, 18002, 18802, 18020, 18022
18005-4		18005, 18800, 18202, 18007, 18802	19005-2		18005, 18800, 18202, 18007, 18802
18010-4		18010, 18012	19010-2		18010, 18012
18050-4		18050, 18052	19050-2		18050, 18052
18100-4		18100, 18212, 18102	19100-2		18100, 18212, 18102
18900-4		18900, 18902	19900-2		18900, 18902

Lexan® is a registered trademark of GE

DIGITAL AQUABATHS

ORDERING INFORMATION												
Model	Volts**	Watts	Chamber Capacity <	Chamber Dimensions W" x D" x H" (cm)	Overall Dimensions W" x D" x H" (cm)	Net Wt. lbs. (kg)	Ship Wt. lbs. (kg)					
18022	120	300	2.0	5 ⁷ / ₈ x 11 ⁵ / ₈ x 2 ¹ / ₂ (15 x 30 x 6)	7 ¹ / ₂ x 14 ¹ / ₂ x 7 (19 x 37 x 18)	8 (3.6)	10 (4.5)					
18022-1	240											
18052	120		3.1	5 ⁷ / ₈ x 5 ³ / ₈ x 5 (15 x 14 x 13)	8 ³ / ₈ x 7 ⁷ / ₈ x 9 (21 x 20 x 23)	10 (4.5)	13 (5.9)					
18052-1	240											
18002	120	500	6.7	5 ⁷ / ₈ x 11 ⁵ / ₈ x 5 (15 x 30 x 13)	8 ³ / ₈ x 14 x 9 (21 x 36 x 23)	15 (6.8)	19 (8.6)					
18002-1	240											
18007	120	1000	14.6	12 ³ / ₄ x 11 ⁵ / ₈ x 5 (32 x 30 x 13)	14 x 15 x 9 (36 x 38 x 23)	23 (10.4)	28 (12.7)					
18007-1	240											
18202*	120											
18202-1*	240											
18102	120	1500	22.0	11 ⁵ / ₈ x 19 ¹ / ₂ x 5 (30 x 50 x 13)	13 ³ / ₈ x 21 ¹ / ₄ x 9 (34 x 54 x 23)	30 (13.6)	36 (16.3)					
18102-1	240											
18212*	120											
18212-1*	240											
18802 Sm Chamber	120	2000	44.0	28 x 16 x 6 (71 x 41 x 15)	31 ⁵ / ₈ x 19 ⁵ / ₈ x 9 (80 x 50 x 23)	65 (29.5)	78 (35.4)					
Lg Chamber												
18802-1 Sm Chamber	240							6.7	5 ⁷ / ₈ x 11 ⁵ / ₈ x 5 (15 x 30 x 13)	23 ¹ / ₄ x 14 ¹ / ₄ x 9 (59 x 36 x 23)	35 (15.9)	41 (18.6)
Lg Chamber												
18012	120	1000	33.0	14 x 12 x 11 (36 x 30 x 28)	16 ³ / ₈ x 16 ³ / ₈ x 12 (42 x 42 x 30)	32 (14.5)	37 (16.8)					
18012-1	240											
18902	120	1000	33.0	14 x 12 x 11 (36 x 30 x 28)	16 ³ / ₈ x 16 ³ / ₈ x 12 (42 x 42 x 30)	32 (14.5)	37 (16.8)					
18902-1	240											

*Teflon® coated stainless steel chamber interior.
**Rated 50/60Hz.

STANDARD AQUABATHS

ORDERING INFORMATION													
Model	Volts*	Watts	Chamber Capacity <	Chamber Dimensions W" x D" x H" (cm)	Overall Dimensions W" x D" x H" (cm)	Net Wt. lbs. (kg)	Ship Wt. lbs. (kg)						
18020	120	300	2.0	5 ⁷ / ₈ x 11 ⁵ / ₈ x 2 ¹ / ₂ (15 x 30 x 6)	7 ¹ / ₂ x 14 ¹ / ₂ x 7 (19 x 37 x 18)	8 (3.6)	10 (4.5)						
18020-1	240												
18050	120		3.1	5 ⁷ / ₈ x 5 ³ / ₈ x 5 (15 x 14 x 13)	8 ³ / ₈ x 7 ⁷ / ₈ x 9 (21 x 20 x 23)	10 (4.5)	13 (5.9)						
18050-1	240												
18000	120	500	6.7	5 ⁷ / ₈ x 11 ⁵ / ₈ x 5 (15 x 30 x 13)	8 ³ / ₈ x 14 x 9 (21 x 36 x 23)	15 (6.8)	19 (8.6)						
18000-1	240												
18005	120	1000	14.6	12 ³ / ₄ x 11 ⁵ / ₈ x 5 (32 x 30 x 13)	14 x 15 x 9 (36 x 38 x 23)	23 (10.4)	28 (12.7)						
18005-1	240												
18100	120							1500	22.0	11 ⁵ / ₈ x 19 ¹ / ₂ x 5 (30 x 50 x 13)	13 ³ / ₈ x 21 ¹ / ₄ x 9 (34 x 54 x 23)	30 (13.6)	36 (16.3)
18100-1	240												
18800 Sm Chamber	120	6.7	5 ⁷ / ₈ x 11 ⁵ / ₈ x 5 (15 x 30 x 13)	23 ¹ / ₄ x 14 ¹ / ₄ x 9 (59 x 36 x 23)	35 (15.9)	41 (18.6)							
Lg Chamber													
18800-1 Sm Chamber	240	6.7	5 ⁷ / ₈ x 11 ⁵ / ₈ x 5 (15 x 30 x 13)	23 ¹ / ₄ x 14 ¹ / ₄ x 9 (59 x 36 x 23)	35 (15.9)	41 (18.6)							
Lg Chamber													
18010	120	2000	44.0	28 x 16 x 6 (71 x 41 x 15)	31 ⁵ / ₈ x 19 ⁵ / ₈ x 9 (80 x 50 x 23)	65 (29.5)	78 (35.4)						
18010-1	240												
18900	120	1000	33.0	14 x 12 x 11 (36 x 30 x 28)	16 ³ / ₈ x 16 ³ / ₈ x 12 (42 x 42 x 30)	32 (14.5)	37 (16.8)						
18900-1	240												

*Rated 50/60Hz.