

Thermo Scientific LP Vortex Mixer

Choose to continuously mix or pulse samples with our low profile vortex mixer.



FEATURES

- Low profile design with small footprint
- Continuous or pulsing functions
- Speed Control: 0 to 300rpm
- Built-in safety features regarding current overload
- Wide variety of optional accessories to accommodate different vessel types

APPLICATIONS

- | Any application that requires vortex mixing in a tube, plate, or glass vessel

Ordering Information and Specifications

| Cat. No. | 88880017 | 88880018 |
|--|---------------------------------------|----------|
| Plug Configurations | | |
| Speed Range | 0-3000rpm | |
| Operating Mode | Continuous / Touch | |
| Max Load | 0.5 kg / 1.1lbs | |
| Dimensions (W x D x H) without attachments | 154 x 210 x 83mm 6.1 x 8.3 x 3.3in | |
| Weight | 3.1kg / 6.8lbs | |
| Power | 100 – 240V, 50/60Hz | |
| Certifications | CE | |
| Warranty | 2 Years | |

Accessories for the LP Vortex mixer

| | Cat. No. |
|--|----------|
| Microplate Tray | 88880117 |
| Rubber Platform | 88880118 |
| Tube Holder with Insert Retainer | 88880119 |
| Tube Holder with Insert Retainer (Φ 10 mm) | 88880120 |
| Tube Holder with Insert Retainer (Φ 12 mm) | 88880121 |
| Tube Holder with Insert Retainer (Φ 15 mm) | 88880122 |
| Tube Holder with Insert Retainer (Φ 20 mm) | 88880123 |
| Tube Holder with Insert Retainer (Φ 25 mm) | 88880124 |

